



Oscar

In

Mathematics

For Primary Three
(Student book)

Prepared by

Mr. Ahmed Hassan

01276911661

Lesson 1: Patterns

First

Visual pattern:



Second

Number pattern:

Rule



+10



+5



-2





-10

Third

Dot pattern:


It is a type of geometric pattern that depends on counting the number of dots in each figure to determine the pattern rule.



What is the rule of this pattern?

- The pattern rule is adding an extra row and represent it as a triangular sequence by drawing one new row each time.
- When we start counting the balls in each row, we found that: The number of balls is increasing by 2 balls more than the previous row.

Draw to complete the pattern of shape 4 and shape 5 for the pattern above:



Shape 4




Shape 5




Draw a picture to show what comes next in the pattern.
Write the number.


1.



2.



3.



4.



5.

Talk About It

Look at Exercise 3. Tell about the pattern.

Practice

Write what comes next in the pattern.


6. 5, 10, 15, 20, __, __, __

7. 10, 20, 30, __, 50, __, __, 80

Draw a picture to show what comes next in the pattern.

Write the number.


8.



9.



10.



3

6

10

11.



1

4

9

Problem Solving

12. **Visual Thinking** Amy saved 10 pennies the first week, 20 pennies the second week, and 30 pennies the third week. If this pattern continues for six weeks, how many pennies will Amy have?




___ pennies

Repeating and Growing Patterns


A **repeating pattern** has a **pattern unit** that repeats over and over again.

What is the next number?




3, 4, 5
keeps repeating.

A **growing pattern** can get bigger in the same way over and over again. What is the next number?




2 is added to get
the next number.



Guided Practice

Draw the next picture to continue the pattern.
Write the numbers.



Explain Your Thinking How are growing patterns different from repeating patterns?

Practice

Remember

A repeating pattern repeats a part over and over. In a growing pattern each part gets bigger than the last.

Draw the next picture to continue the pattern.
Write the numbers.

1.



2.



3.



Write the numbers to continue the pattern.

4. 3 1 6 3 1 6 3 1 6 _____

5. 5 10 15 20 25 30 35 40 _____

Problem Solving Visual Thinking


6. Circle the letter pattern that has the same type of repeating pattern as the shapes.




ABABAB

ABCABCABC

Complete the missing numbers in each pattern:



Notice, then complete the patterns:



Lessons 2-4: Graphing

Bar Graph

Karim asked his friends about their favorite pets, then he drew a bar graph to represent this information.

How many students like cats?

 12 students

How many students like dogs?

 18 students

How many students like rabbits?

 8 students

How many students like fish?

 9 students

What Karim has collected is called **data**, let's represent them on a bar graph:

Vertical axis goes up and down

Favorite pet

Title helps us learn about what data show

Number of students



Scale helps us read the data accurately

Horizontal axis goes left to right

Tally Marks:

- It is a way used to record the data.
- The tally marks represent the number up to 4 as (1 / , 2 // , 3 /// , 4 ////), then a group of 5 as **|||||** so it will be easy to be counted.

We can record the data on a chart using tally marks to represent the favorite sport for some children:

Favorite Sport		
Swimming		15
Horse riding		9
Ballet		5
Football		20
Basketball		10



Basketball
10 students



Football
20 students



Ballet
5 students




Horse riding
9 students



Swimming
15 students

Color to complete the bar graph:



Remember


To form a bar graph we need to:

- write a title.
- write labels for each axis.
- make a scale of (1 or 2 or 5 or 10).

Look and answer:

A teacher collected data about his student's siblings, then he made this table, represent the data on the following bar graph then suggest two questions that can be answered:

Number of siblings	Tally
No siblings	
One sibling	
two siblings	
Three siblings	
Four siblings	
Five siblings	



- 1) The first question: ?
- 2) The second question: ?

Pictograph

We need to create a pictograph by using data table about the favorite zoo animals for some children:



Elephant
|| children



Monkey
|||| children





Panda
|||| children



Giraffe
|| children

Title: Zoo Animals

Elephant		
Monkey		  
Panda		  
Giraffe		

Remember





To form a pictograph we need to:

- Write a title.
- Use an image to represent a key.
- Use scale of (1 or 2 or 5 or 10 represented by a key).

Key: Each  represents 2 children, each  represents 1 child





Count the butterflies and tally these data on the chart, then form a pictograph:



Tally Chart	
	
	
	
	

Key: Each represents

- a) How many  and  are there in all?
- b) How many  are there more than  ?

Line Plots


How to create a line plot?



Line plot is a type of graphs used to represent numerical data (number line).

✕'s represent the data of how many jars have 2 candies.

Create the number line starting at **2** (the lowest number of candies) and going up to **6** (the highest number of candies)



Title: Number of Candies

Key ✕ represents the number of jars of the candy.

- a) What is the frequency of 3 in our data? **4 jars**
- b) What is the frequency of 6 in our data? **3 jars**

Frequency means how many times the value is repeated.

Form a line plot to represent the data about the number of mangoes in the boxes in a store:



Title:

Remember

- The number line can start with any number and can go on forever.

Key x represents the number of boxes.


- What is the frequency of 23 on the line plot?mango boxes.
- What is the frequency of 20 on the line plot?mango boxes.

Form a line plot to represent the data about the number of sold ice cream cones with different flavors during three days:

	Strawberry	Chocolate	Vanilla	Mango
1 st day	10 	14 	12 	13 
2 nd day	15 	12 	14 	15 
3 rd day	11 	14 	13 	12 



Title:

Key  represents


a) What is the frequency of 11 on the line plot? ice cream cones.

b) What is the frequency of 14 on the line plot? ice cream cones.


1. Make a horizontal bar graph.

Weekend Activities	
Activity	Time (hours)
Swim	2
Shop	4
TV	5
log	3


Use the graph.



- How many more students like pepperoni than cheese?
- Find the total number of students.
- Use the line plot. What is the difference between the most and least number of students in a classroom?



5. **STANDARDS PRACTICE** Which statement is true?



- All teachers have been teaching 10 years, except one.
- All have taught 7 years or more.
- Most of the teachers have taught 7 years or more.
- No one has taught 21 years.

6. Display the data in a line plot.

Favorite Place to Read a Book	
Place	Students
Bed	
Outside	
School	
Library	

Lessons 5-10: Measuring Length

Centimeter (cm):

is one of the standard measuring units that help us to measure **short objects**.



Do you know how I can measure the length of my chocolate bar _____?

The ruler is the tool used to measure short lengths.



To measure the length of the _____.

First : Put the _____ lined up with the **zero** of the ruler.

Second : Read the length as the number of cm at the end of the _____.



The length of _____ = 7 cm

Find the measure length of the following objects:

Example



5 cm

a)



..... cm

b)



..... cm

c)



..... cm

d)



..... cm

e)



..... cm

Measure the length of each object, then find the longest and the shortest:

a)



..... cm

b)



..... cm

c)



..... cm

d)




..... cm

e) The longest length = cm

f) The shortest length = cm

Measure the length, then order them from the shortest to the longest?




e) The order is : _____ and _____

Estimation of the length

• How can we estimate the length of objects?



• We can use our body benchmark to estimate the length of objects:



Meter: is another standard unit that helps us to measure long objects.




1 meter is made
up of 100 cm.



Measuring tape and meter stick: are tools used for measuring the length of long objects.

Choose the suitable unit for measuring the following objects:

a)



b)



c)



d)



Estimate the length of the following objects:

a)



My estimated length is about
..... cm

b)



My estimated length is about
..... m

c)



My estimated length is about
..... cm

We can record different lengths and represent the data on a line plot:



✕'s represent the number of tools with the length in (cm)



- What is the frequency of the longest length you have recorded on the line plot? **25 cm** recorded 2 times.
- What is the frequency of the shortest length you have recorded on the line plot? **15 cm** recorded 2 times.

Sarah made a line plot to show the lengths of some leaves. Is Sarah's line plot correct? Explain.

Length of leaves	
4 cm	6 cm
5 cm	4 cm
3 cm	5 cm
4 cm	5 cm

Correct



Incorrect



Dalia made a line plot for the lengths of tapes that she has:



- 1) The number of tapes with length of 7 cm is = tape(s).
- 2) The number of tapes with length of 6 cm is = tape(s).
- 3) Dalia has 3 tapes with length of cm.
- 4) The total number of tapes that Dalia has = tapes.

Millimeter:

is a standard measuring unit that helps us to measure tiny (very small) objects.



Notes:

Millimeter is smaller than centimeter. It is the length between two small dashes on the ruler.



The length in (cm)

3 cm

The length in (mm)

30 mm



The length in (cm)

2 cm

The length in (mm)

20 mm

We notice that:

$$3 \text{ cm} = 30 \text{ mm}$$

$$2 \text{ cm} = 20 \text{ mm}$$

That means each 1 cm consists of 10 mm (1 cm = 10 mm).

Measure the length, then choose the correct answer:

a)



20 mm

3 cm

4 cm

b)



2 cm

4 cm

60 mm

c)



4 cm

5 cm

60 mm

d)



20 mm

50 mm

3 cm

e)



7 cm

80 mm

5 cm

f)



2 cm

4 cm

60 mm

Measure the colored side and then match:

a)



1)



20 mm

b)



2)



30 mm

c)



3)



40 mm

d)




4)




50 mm

We can create line plots using two types of measurement:




Object	In cm	In mm
	9	90
	7	70
	10	100
	8	80
	10	100
	7	70
	6	60
	10	100



vegetables line plot in cm

Key ✕ represents number of objects in cm.



vegetables line plot in mm

Key ✕ represents number of objects in mm.

Record the lengths in mm. then form the two line plots:



9 cm



7 cm



4 cm



8 cm



9 cm



7 cm



5 cm



4 cm



9 cm

Object	In cm	In mm
	9
	7
	4
	8
	9
	7
	9
	5
	4



Title:

Key ✖ represents number of objects in cm.



Title:

Key ✖ represents number of objects in mm.

Record the lengths of the given objects, then form a line plot:



4 cm



5 cm



5 cm



7 cm



7 cm



5 cm

Object	Length












Title:

Key ✖ represents the length of object in cm.

Lessons 11-12: Thousands

How can we form the thousands place?

$$9 \quad 9 \quad 9 + 1 = 1000$$

Hundreds	Tens	Ones	ones	Thousands	Hundreds	Tens	Ones
							




1 thousand = 1000
10 hundreds = 1000
100 tens = 1000

Notes

We regroup 10 hundreds

as 1 thousand



5379

Place Value	Thousands	Hundreds	Tens	Ones
	5	3	7	9
Value	5000	300	70	9

I can read the number as:

Five thousand, three hundred and seventy nine

Find the place value and the value of the digit 3 in each of the following numbers as the example:

Example

3561

Place Value

Thousands

Value

3000

a)

7382

Place Value

Value

b)

4930

Place Value

Value

c)

213

Place Value

Value

Note

The value of 3 changes according to its place in each number.



Write the numbers as the example:

3459

Three thousands, four hundreds and fifty-nine

7834

4532

7049

Color the following digits according to the key:

5623

711

6008

2031

The key:

- Thousands
- Hundreds

- Tens
- Ones

Write the numbers in digits as the example:

Five thousand, nine hundred and twenty-four

5924

Nine thousand, five hundred and seventy-six

Eight thousand, six hundred and fifty

Six thousand and five

Match each two equal numbers

9657

$1000 + 256$

1256

$9000 + 600 + 57$

$4000 + 45$

3725

$3000 + 700 + 25$

4045

Reading Thousands

We have **four** forms to represent a **four-digit** number:



First

Standard form

2 4 6 8

Second

Base ten form

Using the place value mat to show the numerical value of the number.

Thousands	Hundreds	Tens	Ones



Third

Expanded form

$$2468 = 2000 + 400 + 60 + 8$$

Put **equal** and **addition** signs to represent the value of each digit in the number.




Fourth

Word form

Two thousand, four hundred and sixty eight.

Represent the numbers in the place value mat and then write them in the expanded form:

Example

Standard form	Thousands	Hundreds	Tens	Ones
2130				
Expanded form	2000 + 100 + 30 + 0			

a)

Standard form	Thousands	Hundreds	Tens	Ones
1518				
Expanded form + + +			

b)

Standard form	Thousands	Hundreds	Tens	Ones
1404				
Expanded form + + +			

c)

Standard form	Thousands	Hundreds	Tens	Ones
3009				
Expanded form + + +			

Forming the greatest and the smallest 4-digit number:



The greatest 4-digit number:

we start with the greatest value number.

Thousands



Hundreds



Tens



Ones



Read as:

Eight thousand, seven hundred and ten

8710

The smallest 4-digit number:

we start with the smallest value number.

Thousands



Hundreds



Tens



Ones



Read as:

One thousand and seventy eight

1078



The value of 8 changes according to its order and its place in each number.

Notes:

We can't start a number with zero because, it has no value.

~~0178~~



Form the greatest number and the smallest number by using the given digits:

a)

The greatest number

6 , **5** , **8** , **5**

The smallest number

b)

The greatest number

9 , **0** , **8** , **2**

The smallest number

c)

The greatest number

3 , **2** , **5** , **2**

The smallest number

Comparing and ordering numbers

Compare numbers



How can we compare four-digit numbers?

Less than



More than



Equal to



8056 < 8073

First : Compare the thousands digits

8 = 8

Second : Compare the hundreds digits

0 = 0

Third : Compare the tens and ones digits 56 < 73

213 < 2130

3 digits < 4 digits

70 hundred = 7000

Hundred means adding 2 zeroes to the right of the number.

4 thousand > 40 tens

We represent thousand as 3 zeroes

4 thousand = 4000

We represent tens as 1 zero

40 tens = 400

Compare using (<, > or =) as the example:

Example

30 hundred = 3000

5638 > 638

a) 10 hundred 10 thousand

b) 418 9100

c) 2020 Two thousand thirty two


d) 70 hundreds 7000

Ordering Numbers



Ascending Order

start from the **smallest** to the greatest




The order from the **least** to the greatest:

$18 < 736 < 1547 < 3218$

Descending Order

start from the **greatest** to the smallest



The order from the **greatest** to the least:

$3218 > 1547 > 736 > 18$

Arrange the following numbers from the least to the greatest:

3,713

7,313

100

7000

The order

Arrange the following numbers from the greatest to the least:

1,002

1,200


2,001

3000


The order

Color the largest number in each rocket in ● and the smallest number in ● :


a)




b)



c)



d)



Lessons 13-14: Ten thousands and hundred thousands

How can we read a 5-digit number?

68, 214

Place Value



Value:

60, 000 8000 200 10 4

Expanded form:

60, 000 + 8000 + 200 + 10 + 4

I can read the number as:

Sixty eight thousand, two hundred and fourteen



10 thousands = 10, 000
100 hundreds = 10, 000
1000 Tens = 10, 000

Remember


We have to put a **comma** between thousands and hundreds.

How can we read a 6-digit number?



951, 301

Place Value



Value:

900,000 50,000 1000 300 0 2

Expanded form:

900,000 + 50,000 + 1000 + 300 + 0 + 2

I can read the number as:

Nine hundred fifty one thousand, three hundred and two



Remember that:

100 thousand = 100,000

1000 hundred = 100,000

10000 tens = 100,000

Thousand family

951 , 302



Remember

We put the family name after reading the first 3 digits, then we put **comma**.

Find the place value and the value of the colored digit in each number:

a) **354,691**

Place value:

Value:

b) **206,143**

Place value:

Value:

c) **318,064**

Place value:

Value:

d) **181,900**

Place value:

Value:



Complete the table:

Number	Hundred Thousands	Ten Thousands	Thousands	Hundreds	Tens	Ones
Example	-	3	6	2	1	9
a) 504, 622						
b) 18, 943						
c) 3, 412						
d) 129, 684						

Complete as the example:

Example

10, 368 10, 000 + 0 + 300 + 60 + 8

a) 215, 784 + + + + +

b) 518, 367 + + + + +

Form the smallest and the greatest number using the given digits:

a) 1 , 3 , 9 , 8 , 1 , 8

The smallest number
.....

The greatest number
.....

b) 8 , 7 , 2 , 9 , 9 , 0

The smallest number
.....

The greatest number
.....

c) 3 , 6 , 1 , 0 , 7 , 0

The smallest number
.....

The greatest number
.....

Write the number:

a) $300,000 + 50,000 + 2000 + 0 + 40 + 9$

b) $60,000 + 7000 + 300 + 20 + 0$

c) $900,000 + 40,000 + 1000 + 200 + 30 + 7$

Put the following numbers in order from the greatest to the smallest:

a)

610, 384

61, 582

4, 218

6, 009

The order:



b)

422, 608

428, 619

42, 318

41, 319

The order:

Put the following numbers in order from the smallest to the greatest:

538, 210

35, 118

30, 208

35, 119

a) The order:

.....

.....

.....

.....

117, 210

100, 348

17, 919

7, 210

b) The order:

.....

.....

.....

.....

Write the following numbers in a standard form:

Example

H.Th T.Th Th , H T O

6 0 8 , 4 1 9

Six hundred eight thousand, four hundred and nineteen

H.Th T.Th Th , H T O

..... ,

a)

Three hundred thousand, seven hundred and ten

H.Th T.Th Th , H T O

..... ,

b)


Eighteen thousand and one hundred

Lessons 15-18:

Arrays & multiplication


To count the total number of , we can use 2 efficient strategies:

Skip counting strategy



- To get the **rows**, skip counting by 3
3, 6, 9, 12
3 **rows** of 4.
- To get the **columns**, skip counting by 4
4, 8, 12
4 **columns** of 3.

Repeated addition strategy



- To get the **total rows** = $4 + 4 + 4 = 12$
3 **rows** of 4.
- To get the **total columns** = $3 + 3 + 3 + 3 = 12$
4 **columns** of 3.

Counting one by one strategy:




We can use counting one by one strategy but it is not an efficient strategy.



Complete each of the following:

Example


Number of columns = 4
Number of **strawberries** in each column = 4




a) Number of rows =
Number of **pears** in each row =




b) Number of columns =
Number of **pineapples** in each column =




c) Number of rows =
Number of **oranges** in each row =



d) Number of columns =
Number of **apples** in each column =



e) Number of rows =
Number of **lemons** in each row =



Complete:

Example



$$4 \text{ rows} = 2 + 2 + 2 + 2 = 8$$

$$2 \text{ columns} = 4 + 4 = 8$$

a)



$$\text{rows} = + + + =$$

$$\text{columns} = + + + =$$


b)



$$\text{rows} = + =$$

$$\text{columns} = + + + + + =$$

c)



$$\text{rows} = + + + =$$

$$\text{columns} = + + + + + =$$

d)



$$\text{rows} = + + + + =$$

$$\text{columns} = + + + + =$$

e)




$$\text{rows} = + + + + =$$

$$\text{columns} = + + + =$$

We can represent the total number of array.

Example 1



Using repeated addition equation:

$$5 \text{ rows} = 2 + 2 + 2 + 2 + 2 = 10$$

$$2 \text{ columns} = 5 + 5 = 10$$

Using multiplication equation:


$$5 \times 2 = 10$$

Multiplication
symbol

Product of multiplication

Read as: **Five times two equals ten.**

Example 2



2 circles with 4 in each so

$$4 + 4 = 8$$

Using multiplication equation:

$$2 \times 4 = 8$$

Multiplication
symbol

Product of
multiplication

Read as: **2 groups of 4 equals 8**

We can compare the product of 🌀 and 🏏
 $10 > 8$

Find the total number of arrays using the 2 forms of equation as the example:

Example




Repeated addition equation:

$$6 + 6 + 6 = 18$$

Multiplication equation:

$$3 \times 6 = 18$$

a)



$$\dots + \dots + \dots = 15$$

$$\dots \times \dots = \dots$$

b)



$$\dots + \dots + \dots + \dots + \dots + \dots + \dots = \dots$$

$$\dots \times 7 = \dots$$

c)



$$\dots + 6 = \dots$$

$$\dots \times \dots = \dots$$

d)



$$\dots + \dots + \dots + \dots = \dots$$

$$5 \times \dots = 20$$

e)



$$\dots + \dots + \dots + \dots = \dots$$


$$\dots \times \dots = \dots$$

Draw arrays to represent the following equations using

□ , ○ , ☆ or ☺ :

Example

$$3 + 3 + 3 + 3 = 12$$



a) $5 \times 3 = \dots\dots\dots$

b) $4 \times 4 = \dots\dots\dots$

c) $2 + 2 + 2 = \dots\dots\dots$

d) $1 + 1 + 1 + 1 + 1 = \dots\dots\dots$

e) $2 \times 6 = \dots\dots\dots$

Match:

Example

4 groups of 2

$$3 \times 3$$

$$2 + 2 + 2 + 2$$

a) 3 groups of 3

$$4 \times 2$$

1)

$$8 + 8$$

b) 2 groups of 8

$$3 \times 5$$

2)

$$3 + 3 + 3$$

c) 3 groups of 5

$$2 \times 8$$

3)

$$5 + 5 + 5$$

d) 2 groups of 9

$$3 \times 1$$

4)

$$9 + 9$$

e) 3 groups of 1

$$2 \times 9$$

5)

$$1 + 1 + 1$$

Lessons 19-20:

Commutative property

Commutative property in addition:

$$5 + 4 = 4 + 5$$

9

9

Adding numbers in different order gives the same sum.



Commutative property in multiplication:

column
↓



$$3 \times 2 = 6$$

rows columns

Total number is 6

row
←



Multiplying numbers in any order gives the same product.



$$2 \times 3 = 6$$

rows columns

Total number is 6

Draw another array to get the commutative property of multiplication as the example:

Example



$$2 \times 4$$



$$4 \times 2$$

a)



$$4 \times 3$$

b)




$$2 \times 5$$

$$\times$$

Complete:

a)




Number of rectangles:

Number of beans:

..... groups of =

b)



Number of squares:

Number of candies:

..... groups of =

c)




Number of triangles:

Number of coins:

..... groups of =

d)



Number of squares:


Number of cherries:

..... groups of =

Color another array to get the commutative property of multiplication:

Example

$$4 \times 3$$




$$3 \times 4$$




a)

$$\text{.....} \times \text{.....}$$




$$1 \times 5$$




b)

$$\text{.....} \times \text{.....}$$



$$3 \times 2$$



Lessons 21-22: Multiplication story problems

How can we solve multiplication story problems?

May collects 5 kilograms of strawberries every day, how many kg of strawberries did she collect per one week?

Repeated addition strategy:

$$5 + 5 + 5 + 5 + 5 + 5 + 5 = 35$$

7 groups of 5

Multiplication strategy:

$$7 \times 5 = 35$$

Seven times five equals thirty five.



Ahmed went to a store, he saw three teddy bears on the shelf with 4 red buttons in each.

How many buttons are there in all the teddy bears?

3 groups of 4

Multiplication strategy:

$$3 \times 4 = 12$$

Three times four equals twelve.



Remember

- The result of multiplication is called product $2 \times 3 = 6$



How to write the story problem of a multiplication equation:

$$4 \times 3 = 12$$



There are 4 groups of dogs, each one has 3 dogs

Then the total number of dogs equals 12 dogs.

Read and solve:

At school the students were standing in two rows each row has 5 students, how many students are there?

The total number of students

$$= 5 + 5 = 10 \text{ students}$$

$$= 2 \times 5 = 10 \text{ students}$$



Read and solve:

Mazen runs 2 miles each day. How many miles does he run in a week?

the total number of miles

$$\text{in a week} = \dots + \dots + \dots + \dots + \dots + \dots + \dots =$$

$$\dots \times \dots = \dots \text{ miles}$$



Read and solve:

A pencil case contains 6 colored pencils. How many colored pencils are there in 4 pencil cases?

The total number of colored pencils = \dots groups of \dots

$$\dots \times \dots = \dots$$



Read and solve:

It takes a rocket 8 seconds to travel one kilometer. How many seconds will it take to travel 3 kilometers?

Total number of seconds =



Form the multiplication equation of the problem:

Alaa packed apples into groups,
each one has apples.

Then the multiplication equation

is \times =



Read and solve:

Calculate the number of flowers in all vases.

The multiplication equation is: \times = flowers.



Complete the story problem:

Maged's father bought teddy bears

each one cost L.E.

How much money did Maged's father pay?

The multiplication is:

..... \times = L.E.



Draw using the following items (balls and boxes), then write a story problem for the given multiplication equation:

$$4 \times 5 = 20$$



Read and match:

- a) Ahmed has 4 boxes of chocolate; each box has 7 bars. How many bars of chocolate are there in all the boxes?



$$5 \times 7 = 35$$

- b) Tony bought 6 sandwiches of L.E. 5. each. How much money did Tony pay?



$$4 \times 7 = 28$$

- c) Amir walks on the track 7 times a day. How many times does he walk in 5 days?



$$6 \times 5 = 30$$

Table 2

2	X	1	=	2
2	X	2	=	4
2	X	3	=	6
2	X	4	=	8
2	X	5	=	10
2	X	6	=	12
2	X	7	=	14
2	X	8	=	16
2	X	9	=	18
2	X	10	=	20

Table 3

3	X	1	=	3
3	X	2	=	6
3	X	3	=	9
3	X	4	=	12
3	X	5	=	15
3	X	6	=	18
3	X	7	=	21
3	X	8	=	24
3	X	9	=	27
3	X	10	=	30

Table 4

4	X	1	=	4
4	X	2	=	8
4	X	3	=	12
4	X	4	=	16
4	X	5	=	20
4	X	6	=	24
4	X	7	=	28
4	X	8	=	32
4	X	9	=	36
4	X	10	=	40

Table 5

5	X	1	=	5
5	X	2	=	10
5	X	3	=	15
5	X	4	=	20
5	X	5	=	25
5	X	6	=	30
5	X	7	=	35
5	X	8	=	40
5	X	9	=	45
5	X	10	=	50

Table 6

6	X	1	=	6
6	X	2	=	12
6	X	3	=	18
6	X	4	=	24
6	X	5	=	30
6	X	6	=	36
6	X	7	=	42
6	X	8	=	48
6	X	9	=	54
6	X	10	=	60

Table 7

7	X	1	=	7
7	X	2	=	14
7	X	3	=	21
7	X	4	=	28
7	X	5	=	35
7	X	6	=	42
7	X	7	=	49
7	X	8	=	56
7	X	9	=	63
7	X	10	=	70

Table 8

8	X	1	=	8
8	X	2	=	16
8	X	3	=	24
8	X	4	=	32
8	X	5	=	40
8	X	6	=	48
8	X	7	=	56
8	X	8	=	64
8	X	9	=	72
8	X	10	=	80

Table 9

9	X	1	=	9
9	X	2	=	18
9	X	3	=	27
9	X	4	=	36
9	X	5	=	45
9	X	6	=	54
9	X	7	=	63
9	X	8	=	72
9	X	9	=	81
9	X	10	=	90

Any number X 0 = 0

Any number X 1 =
the same number

$$3 \times 5 = 5 + 5 + 5$$

Or

$$3 \times 5 =$$
$$3 + 3 + 3 + 3 + 3$$

Lesson 23: Multiples of 2 and 3

Multiples of 2
means we skip
counting by 2
(2, 4, 6, 8,)



Multiples of 3 means
we skip
counting by
3 (3, 6, 9,)



1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70
71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99	100
101	102	103	104	105	106	107	108	109	110
111	112	113	114	115	116	117	118	119	120

We notice that:

the numbers which are colored in both pink and blue are **multiples of 2 and multiples of 3.**

So, these numbers are called common multiples (6, 12, 18,).

Multiplication facts

First

$2 \times 0 = 0$ because we have 2 group of 0

$3 \times 0 = 0$

$218 \times 0 = 0$

So, any number multiplied by zero equals zero.

Notice that:

Zero is a common
multiple of all
numbers.



Second

$2 \times 1 = 2$ because we have 2 group of 1

$3 \times 1 = 3$

$1638 \times 1 = 1638$

So, any number multiplied by 1 equal the same number.

We can represent skip counting by 2 and 3 as a multiplication equation:

Multiples of 2

- $2 \times 0 = 0$
- $2 \times 1 = 2$
- $2 \times 2 = 4$
- $2 \times 3 = 6$
- $2 \times 4 = 8$
- $2 \times 5 = 10$
- $2 \times 6 = 12$
- $2 \times 7 = 14$
- $2 \times 8 = 16$
- $2 \times 9 = 18$
- $2 \times 10 = 20$

$$2 \times 3 = 6$$

Factor Factor Product



Multiples of 3

- $3 \times 0 = 0$
- $3 \times 1 = 3$
- $3 \times 2 = 6$
- $3 \times 3 = 9$
- $3 \times 4 = 12$
- $3 \times 5 = 15$
- $3 \times 6 = 18$
- $3 \times 7 = 21$
- $3 \times 8 = 24$
- $3 \times 9 = 27$
- $3 \times 10 = 30$

Complete the multiplication equations to find the product:

- a) $9 \times 1 = \dots\dots$
- b) $0 \times 20000 = \dots\dots$
- c) $2 \times 0 = \dots\dots$
- d) $1 \times 17 = \dots\dots$
- e) $7 \times 3 = \dots\dots$
- f) $5 \times 2 = \dots\dots$
- g) $3 \times 2 = \dots\dots$
- h) $2 \times 3 = \dots\dots$
- i) $3 \times 10 = \dots\dots$
- j) $2 \times 10 = \dots\dots$



Find the factors and the product of each of the following equations:

a) $3 \times 5 = 15$

Factors are: ,

Product =

b) $2 \times 8 = 16$

Factors are: ,

Product =

c) $3 \times 4 = 12$

Factors are: ,

Product =

How many oranges in each dish? Write the product:



$1 \times 3 =$



$1 \times 2 =$



$1 \times 1 =$



$1 \times 0 =$

Find the product:

$1 \times 9 =$

$21 \times 0 =$

$75 \times 1 =$

$254 \times 0 =$

$45 \times 1 =$

$8 \times 1 =$

$341 \times 1 =$

$7946 \times 0 =$

$19 \times 1 =$

Color in (Red) if the product is zero:

7×1

13×0

32×1


63×0

15×1

597×0

Lesson 24: Multiples of 5 and 10

Skip counting by 5



Skip counting by 10



The multiples of 5 are: 0, 5, 10, 15, 20, 25, 30,

The multiples of 10 are: 0, 10, 20, 30,

The common multiples of both 5 and 10 are: 0, 10, 20, 30, 40,

Color the multiples of 5 in green and the multiples of 10 in yellow:

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70
71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99	100
101	102	103	104	105	106	107	108	109	110
111	112	113	114	115	116	117	118	119	120



Then write the multiples of 5 and 10 which takes the two colors:

Common multiples of 5 and 10 are:

.....,,,,

Lesson 25: The Factors

How can we find the factors of a number?



$$6 \times 1 = 6$$

Factors are 6 & 1

Product is 6



$$2 \times 3 = 6$$

Factors are 2 & 3

Product is 6



$$3 \times 2 = 6$$

Factors are 3 & 2

Product is 6



$$1 \times 6 = 6$$

Factors are 1 & 6

Product is 6

So, the factors of 6 are 1, 6, 2 and 3.



$$1 \times 4 = 4$$

Factors are 1 & 4

Product is 4



$$2 \times 2 = 4$$

Factors are 2 & 2

Product is 4



$$4 \times 1 = 4$$

Factors are 4 & 1

Product is 4

So, the factors of 4 are 1, 2 and 4

We don't take the repeated factors.

$$2 \times 3 = 6, 3 \times 2 = 6$$

is called a **commutative property.**



Find the factors of 8 by drawing arrays of X to represent them:



$$1 \times 8 = 8$$


$$2 \times 4 = 8$$


$$\dots \times \dots = \dots$$


$$\dots \times \dots = \dots$$

So, the factors of number 8 are \dots , \dots , \dots , and \dots .

Find the factors of 4 by drawing arrays of O to represent them:

$$1 \times 4 = 4$$

$$\dots \times \dots = \dots$$


$$\dots \times \dots = \dots$$

So, the factors of number 4 are \dots , \dots and \dots .




Write the factors of each of the following products:


a)




b)





c)




d)



e)



f)



Lessons 26-27: Read and write digital time

Reading the clock



It is 4 o'clock.



It is a quarter after 4.



It is half past 4.



It is a quarter to 4.



It is 5 o'clock.



15 minutes



30 minutes



45 minutes



60 minutes

The parts of the clock:

Hour hand

The short hand refers to hours.

Minute hand

The long hand refers to minutes.

- The minute hand points by jumping 5 minutes each time.

Remember

Multiples of 5

(0, 5, 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60)

- When the hand passes the whole 60 minutes it represents an hour.




Start time
7:00

TO



End time
8:00

We will make a line segment to represent one hour of time from 7:00 to 8:00



Complete the line segment to represent one hour of time:

a)



Start time
..... :00

TO

End time
..... :00




b)



Start time
..... :

TO

End time
..... :



Write the digital time for the following clocks:



--	--



--	--



--	--



--	--



--	--



--	--




--	--




--	--


Draw the two hands of the clock to show the time:



1	20
---	----



8	15
---	----



3	45
---	----



11	30
----	----

Draw the hands of minutes on the analog clock according to the digital time:

Example



a)



c)



b)



e)



d)



g)



f)



Your mom puts pizza in the oven at 10:00 o'clock when you take it out, the clock looks like this:

How many minutes did it take to finish the pizza?



You leave school at 2:00 o'clock and when you get home the clock looks like this:

How many minutes did it take you to walk home?



Amina started cooking a duck at 1:05 o'clock, it must be cooked for 3 hours. Draw the 2 hands of the clock to show when it will be finished.



Write the required time in digital:

Example



5 minutes
later

9	05
---	----

Example



10 minutes
earlier

6	55
---	----

a)



10 minutes
earlier

--	--

b)



15 minutes
later

--	--

c)



20 minutes
later

--	--

d)



1 hour
earlier

--	--

e)



1 hour later

--	--

f)



30 minutes
later

--	--

g)



15 minutes
earlier

--	--

h)



25 minutes
earlier

--	--

i)



20 minutes
earlier

--	--

j)



30 minutes
earlier

--	--

Check

Use your . Draw the minute hand to show the time.

1.




2.




3.



4.



5.



6.




7.

Talk About It


At 4:15, where is the minute hand?
Explain.

Practice

Use your . Draw the minute hand to show the time.

Remember
A quarter-hour
is 15 minutes.


8.




9.



10.



11.



12.



13.



Share and Show



Look at the clock hands. Write the time.

1.



2.



3.



4.



5.



6.



On Your Own

Look at the clock hands. Write the time.

7.



8.



9.



10.



11.



12.



Lessons 28-29: Dividing into equal groups

How can we share equally?



We have 6 pieces of gateaux and we want to share them equally between 2 children.



The equation can be written as

$$6 \div 2 = 3$$

If six pieces of gateaux are divided into 2 equal groups, we get 3 pieces for each child.


divide sign

quotient

Zero left over (remainder)

Dividing with a remainder

We have 14 balloons, we need to share them equally among Nesreen, Rania and Magda. How many balloons each one will have? How many balloons are left?



When we share the balloons equally we find out that we have 2 balloons are left over. We cannot share them on the 3 friends.

• The division equation is:

$$14 \div 3 = 4 \text{ and } 2 \text{ balloons are leftover (remainder)}$$

We need to divide 12 colored pencils equally among 3 pencil cases:



Each group consists of pencils, because $12 \div 3 =$

Divide 15 apples equally among 5 boxes and draw to show your answer:



Each box contains apples.

The mathematical equation is: $15 \div 5 =$

Hager prepared 20 sandwiches to share them equally among her 4 friends, draw to show your answer:



How many sandwiches does each one take?

The division equation is: \div $=$

Samy has 10 oranges which he needs to divide equally among 5 baskets, draw the oranges to show the equal shares:



Then write the division equation for this problem.

The division equation is: ÷ =

Cats like to eat fish, each cat eats 2 fishes. If we have 9 fishes. How many cats can we feed?



• How many cats can we feed? cats.

The division equation is: ÷ = remainder

A teacher has 24 balls which he needs to divide among his 6 students. Draw balls to find the answer:



• How many balls does each one get? balls.

• The division equation is: ÷ =

There are 12 flowers needed to be put in 4 vases, draw to show the equal sharing:



- How many flowers should be put in each vase? flowers.
- The division equation is \div =

Draw a part-part-whole model to find your answer:



Write a sharing story problem using the numbers 30 and 5, then solve using both drawing and a part-part whole model:

Part-part whole



Drawing

Story problem:

.....



.....

Lesson 30: The relation between multiplication and division

We can use this fact family house to represent the relation between the 3 numbers



8, 2 and 4 are members of the multiplication and division fact family:



We have a group of 20 mangoes divided into 4 groups.
Complete the fact family:

We have 4 group of 20 mangoes.



		20		
4	x, ÷			5
4	x	5	=	20
.....	x	4	=	20
20	÷	4	=
20	÷	5	=

Write the missing numbers in each fact family:

a)

3	x, ÷			7
.....	x	=
.....	x	=
.....	÷	=
.....	÷	=

b)

		18		
6	x, ÷			
6	x	=
.....	x	6	=
18	÷	=
.....	÷	6	=

c)

		12		
	x, ÷			2
2	x	=	12
.....	x	2	=	12
12	÷	2	=
12	÷	=

Describe each array using one multiplication equation and one division equation:

a)



- $\boxed{\dots\dots} \times \boxed{3} = \boxed{15}$
- $\boxed{15} \div \boxed{3} = \boxed{\dots\dots}$

b)

- $\boxed{\dots\dots} \times \boxed{6} = \boxed{\dots\dots}$
- $\boxed{24} \div \boxed{6} = \boxed{\dots\dots}$



Describe the following array using the multiplication and division equations:



- $\boxed{\dots\dots} \times \boxed{\dots\dots} = \boxed{\dots\dots}$
- $\boxed{\dots\dots} \times \boxed{\dots\dots} = \boxed{\dots\dots}$
- $\boxed{\dots\dots} \div \boxed{\dots\dots} = \boxed{\dots\dots}$
- $\boxed{\dots\dots} \div \boxed{\dots\dots} = \boxed{\dots\dots}$

Write the missing factor in each triangle, then write the multiplication & division facts as the example:



$$\begin{array}{l} 6 \times 4 = 24 \\ 4 \times 6 = 24 \\ 24 \div 4 = 6 \\ 24 \div 6 = 4 \end{array}$$



$$\begin{array}{l} 3 \times 6 = \dots\dots\dots \\ 6 \times 3 = \dots\dots\dots \\ 18 \div \dots\dots = \dots\dots\dots \\ \dots\dots \div \dots\dots = \dots\dots\dots \end{array}$$



$$\begin{array}{l} 4 \times 7 = \dots\dots\dots \\ 7 \times \dots\dots = \dots\dots\dots \\ 28 \div \dots\dots = \dots\dots\dots \\ \dots\dots \div \dots\dots = \dots\dots\dots \end{array}$$



$$\begin{array}{l} \times \dots\dots = \dots\dots\dots \\ \times \dots\dots = \dots\dots\dots \\ \div \dots\dots = \dots\dots\dots \\ \div \dots\dots = \dots\dots\dots \end{array}$$



$$\begin{array}{l} \times \dots\dots = \dots\dots\dots \\ \times \dots\dots = \dots\dots\dots \\ \div \dots\dots = \dots\dots\dots \\ \div \dots\dots = \dots\dots\dots \end{array}$$




$$\begin{array}{l} \times \dots\dots = \dots\dots\dots \\ \times \dots\dots = \dots\dots\dots \\ \div \dots\dots = \dots\dots\dots \\ \div \dots\dots = \dots\dots\dots \end{array}$$



$$\begin{array}{l} \times \dots\dots = \dots\dots\dots \\ \times \dots\dots = \dots\dots\dots \\ \div \dots\dots = \dots\dots\dots \\ \div \dots\dots = \dots\dots\dots \end{array}$$



$$\begin{array}{l} \times \dots\dots = \dots\dots\dots \\ \times \dots\dots = \dots\dots\dots \\ \div \dots\dots = \dots\dots\dots \\ \div \dots\dots = \dots\dots\dots \end{array}$$




$$\begin{array}{l} \times \dots\dots = \dots\dots\dots \\ \times \dots\dots = \dots\dots\dots \\ \div \dots\dots = \dots\dots\dots \\ \div \dots\dots = \dots\dots\dots \end{array}$$

Lesson 31: Polygons

Polygons

Are closed 2D shapes with attributes of **straight sides** and **no gaps** and the number of their sides is equal to the number of their vertices.

Examples of polygons



3 sides
3 vertices



5 sides
5 vertices




6 sides
6 vertices




8 sides
8 vertices

Quadrilateral

Are **polygons** with **4 straight sides** and **4 vertices**.



4 sides
4 vertices



4 sides
4 vertices



4 sides
4 vertices





4 sides
4 vertices




4 sides
4 vertices

Remember


Circle  is not a polygon because it **has a curved line**.

Cube  is not a polygon because it **is a 3D shape**.

Open shape  is not a polygon because it **is not a closed shape**.

Parallelogram

Is a polygon in which each two opposite sides are parallel.



Parallel lines can go on forever and never intersect or touch each other.

Complete:

Example



Rhombus

- 4 sides
- 4 vertices

a)



- sides
- vertices

b)



- sides
- vertices

c)



- sides
- vertices

d)




- sides
- vertices

e)



- sides
- vertices

Color the following shapes as required, then complete:




Rhombus



Square



Rectangle




Parallelogram



Circle



Pentagon



Cube



Hexagon



Kite



Cylinder



Triangle

Example

- Polygons with 3 side in blue.

•triangle.....

- a) Polygons that are quadrilaterals in red.

-
-
-
-
-

- b) Figures that are not polygons in yellow.

-
-
-

- c) Polygons with more than 4 sides in pink.

-
-

Match:

a) I have a

circle

b) I have an

Octagon

c) I have a

Parallelogram

d) I have a

Square

1)

Who has the quadrilateral with 4 equal sides?

2)

Who has the quadrilateral in which each 2 opposite sides are parallel?



3)

Who has the 2D shape that is not a polygon?


4)

Who has the 2D shape with 8 sides and 8 vertices?

Lesson 32: Quadrilaterals








We can sort the quadrilateral shapes on a Venn diagram.




The square is in the intersection part because its 4 sides are equal and has the same 4 vertices.



Complete the attributes of quadrilaterals:

	Parallelogram	Rectangle	Square	Rhombus	trapezium
Quadrilateral					
Sides	Sides aren't equal	Sides are equal
Vertices	Vertices aren't the same	Vertices are the same
Parallel sides	Each 2 sides are parallel	Each 2 sides are parallel
Number of sides	4	4
Number of vertices	4	4

Look at the Venn diagram, then find:



- a) How many quadrilaterals have parallel opposite sides?
- b) How many quadrilaterals have the same vertices?
- c) How many quadrilaterals have equal sides?
- d) How many quadrilaterals have the same vertices and equal sides?










Lesson 33: Trapezium



Trapezium

It is a type of quadrilaterals with only **one set of parallel sides** and the other two sides are not parallel.

Color the shape according to the given clues:

Clue	Shapes		
a) I have only 2 parallel sides.	 Rhombus	 Parallelogram	 Trapezium
b) I have 4 equal sides.	 Trapezium	 Square	 Kite
c) Each 2 opposite sides are equal and parallel.	 Kite	 Parallelogram	 Trapezium

Count the number of each type of quadrilaterals and create a bar graph:



Quadrilaterals



Count each polygon, then create a bar graph as the example:



2D shapes

Number of Polygons



Shapes

Lessons 34-37: The Area

Area

Is the space inside a shape
(number of square units)



How can we find the area?

we can use 2 strategies:

First strategy:

Count the total number of squares
inside the rectangle.

Area = 18 square units.

1	2	3	4	5	6
7	8	9	10	11	12
13	14	15	16	17	18

Second strategy:

Count the number of rows and
the number of columns
(Dimensions), then multiply.

number of rows \times number of columns

$3 \times 6 = 18$ square units.

Row
3

Column
6

Find the area of the following rectangles:

Example

Area = ²⁰..... square units.

or

^{4 × 5}..... = 20 square units.

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20

a)



Area = square units

b)




Area = square units

c)




Area = square units

d)




Area = square units

e)




Area = square units

f)



Area = square units

g)



Area = square units

h)



Area = square units

i)




Area = square units

j)



Area = square units

k)



Area = square units

l)



Area = square units

Draw rectangles according to the given rows and columns, then calculate the area:



Example

- Rectangle A

4 rows and 3 columns

Area = $4 \times 3 = 12$ square units.

- a) Rectangle B

2 rows and 5 columns

Area = $\dots \times \dots = \dots$ square units.



- b) Rectangle C

3 rows and 5 columns

Area = $\dots \times \dots = \dots$ square units

- c) Rectangle D


5 rows and 3 columns

Area = $\dots \times \dots = \dots$ square units

Draw to find the area to solve the following garden plot problems:

Example


- Karim is planting corn, if each corn plant needs 1 square unit of space. He would like his garden to have 5 rows with 4 square units in each. How many corn plants can Karim plant in his garden? What is the area of his garden in square units?




- a) Mai wants to plant tomatoes in her garden. Each tomato plant needs 1 square unit of space. She wants her garden to have 4 rows with 3 square units in each. How many tomato plants can she plant in her garden? What is the area of the garden in square units?

Area = \times = square units
No. of tomato plants = tomatoes

- b)** Yassin wants to plant strawberry in his garden. Each strawberry plant needs 1 square unit of space. He would like the garden to have 6 rows with 3 square units in each row. How much strawberry plants can Yassin fit in his garden? What is the area of his garden in square units?



- c)** Noura and Noha have two rectangular gardens, one for watermelon and one for corn. The watermelon takes up 4 square units and the corn takes up 2 square units and both of them have rows of 5. Draw to find the area of Noura and Noha's gardens in square units?



Rectangles with the same area


How can we draw different rectangles with the same area?

First rectangle



Area = $5 \times 2 = 10$ square units

Second rectangle



Area = $2 \times 5 = 10$ square units

These two rectangles have the same dimensions:

Second rectangle



Area = $1 \times 10 = 10$ square units

First rectangle



Area = $10 \times 1 = 10$ square units

So, each of the two rectangles have the same dimensions and the same area, they just have been rotated.


when we have the same factors but we just change their order (places)
This is called
Commutative property of multiplication

$$2 \times 5 = 5 \times 2$$
$$10 \times 1 = 1 \times 10$$

Draw as required:

Example

Draw 2 different rectangles with 12 square units:




Area = $3 \times 4 = 12$ square units

Area = $2 \times 6 = 12$ square units

a)

Draw 2 different rectangles with 18 square units:




Area = \times = square units

Area = \times = square units

b)

Draw 2 different rectangles with an area of 20 square units:



Area = \times = square units

Area = \times = square units

Find the area, then draw a different rectangle to show the commutative property:

Example




Area = $3 \times 2 = 6$ square units




Area = $2 \times 3 = 6$ square units

a)




Area = $\dots \times \dots = \dots$ square units




Area = $\dots \times \dots = \dots$ square units

b)




Area = $\dots \times \dots = \dots$ square units



Area = $\dots \times \dots = \dots$ square units

Using the dimensions to determine the area



Dimensions are the number
of rows and number of columns
 $4 \times 5 = 20$ square units

Even if we don't have all the square units, we can use
the dimensions of a rectangle to calculate its area.

Determine the dimensions of each rectangle, then find the area:

a)	<p>Area = \times = square units</p>		
b)	<p>Area = \times = square units</p>	d)	<p>Area = \times = square units</p>
c)	<p>Area = \times = square units</p>	e)	<p>Area = \times = square units</p>


Find the dimensions of each rectangle, then find the area:

a)




Area= ×
= square units

b)




Area= ×
= square units

c)




Area= ×
= square units

d)



Area= ×
= square units

e)




Area= ×
= square units

f)




Area= ×
= square units

g)





Area= ×
= square units

h)




Area= ×
= square units

Draw the dimensions of the rectangle using  according to the given area:

When we use the ruler, we represent  the side of 1 square unit as 1 cm.



Example



Area= $2 \times 5 = 10$ square units

a)

Area= $3 \times 4 = 12$ square units

b)

Area= $3 \times 6 = 18$ square units


c)

Area= $4 \times 5 = 20$ square units

Lessons 38-40: Distributive property of multiplication


Breaking apart strategy

We can break the bigger dimension 6 into $3 + 3$




Big Array

$$4 \times 6 = \boxed{24} \text{ square units}$$



Small Array


$$(4 \times 3) \\ (12)$$



Small Array


$$(4 \times 3) + (4 \times 3) \\ (12) + (12) = \boxed{24} \text{ square units}$$

We can also break 6 into $4 + 2$



$$(4 \times 4) + (4 \times 2) \\ (16) + (8) = \boxed{24} \text{ square units}$$

We can also break 6 into $1 + 5$



$$(4 \times 1) + (4 \times 5) \\ (4) + (20) = \boxed{24} \text{ square units}$$



Breaking a multiplication problem into 2 smaller problems, then adding their products together
This is called **Distributive property of multiplication**.

Use the distributive property to split the given rectangles into 2 smaller rectangles to find the area:

Example



Break 9 the big dimension into (5+4)


$$(2 \times 5) + (2 \times 4)$$

$$(10) + (8) = \boxed{18} \text{ square units}$$

or

$$(2 \times 9) = \boxed{18} \text{ square units}$$

a)



The big dimension (.....) into (.....+.....)

$$(\dots \times \dots) + (\dots \times \dots)$$

$$(\dots) + (\dots) = \boxed{\dots} \text{ square units}$$

or

$$(4 \times 6) = \boxed{\dots} \text{ square units}$$

b)



The big dimension (.....) into (.....+.....)

$$(\dots \times \dots) + (\dots \times \dots)$$

$$(\dots) + (\dots) = \boxed{\dots} \text{ square units}$$

or

$$(4 \times 7) = \boxed{\dots} \text{ square units}$$

c)



The big dimension (.....) into (.....+.....)

$$(\dots \times \dots) + (\dots \times \dots)$$


$$(\dots) + (\dots) = \boxed{\dots} \text{ square units}$$

or

$$(6 \times 3) = \boxed{\dots} \text{ square units}$$

Color to break the arrays, then find the area using distributive property:

Example




$$(4 \times 3) + (4 \times 3)$$

$$(12) + (12) = \boxed{24} \text{ square units}$$

or

$$(8 \times 3) = \boxed{24} \text{ square units}$$

a)




$$(\dots \times \dots) + (\dots \times \dots)$$

$$(\dots) + (\dots) = \boxed{\dots} \text{ square units}$$

or

$$(6 \times 2) = \boxed{\dots} \text{ square units}$$

b)




$$(\dots \times \dots) + (\dots \times \dots)$$

$$(\dots) + (\dots) = \boxed{\dots} \text{ square units}$$

or

$$(4 \times 8) = \boxed{\dots} \text{ square units}$$

c)






$$(\dots \times \dots) + (\dots \times \dots)$$

$$(\dots) + (\dots) = \boxed{\dots} \text{ square units}$$




or

$$(4 \times 10) = \boxed{\dots} \text{ square units}$$




The distributive property
is used to break apart the bigger numbers.






Complete the equations:

a)  =  + 
 $(2 \times \dots)$ + $(2 \times \dots)$

5
3 2

b)  =  + 
 $(2 \times \dots)$ + $(2 \times \dots)$

4
2 2

c)  =  + 
 $(3 \times \dots)$ + $(3 \times \dots)$

5
3 2

Break down the following arrays into 2 different ways, then record your equations:

Example



$$(2 \times 2) + (2 \times 3)$$

$$(2 \times 4) + (2 \times 1)$$



a)



$$(\dots \times \dots) + (\dots \times \dots)$$

$$(\dots \times \dots) + (\dots \times \dots)$$



b)



$$(\dots \times \dots) + (\dots \times \dots)$$

$$(\dots \times \dots) + (\dots \times \dots)$$


$$(\dots \times \dots) + (\dots \times \dots)$$



Lesson 41: Measuring the side lengths of polygons

How can we measure the side length of any polygon?

- **Ruler** is the right tool to measure the side length.
- Start at 0 cm and end at 4 cm.
- So, the measure of the side length is 4 cm.
- **Cm** is the right unit to represent the measure of the side length.



Measuring the distance between the end points of a side in a polygon is called **linear measurement**.

Properties of Quadrilateral:

What do you notice when you measure the lengths of the sides of square and rhombus?



The 4 sides of square and rhombus are equal in length.

What do you notice when you measure the lengths of the sides of parallelogram and rectangle?




Each 2 opposite sides of parallelogram and rectangle are equal in length.



Measure, then record the length of each side:


Example




a)



b)



c)



d)



e)



Measure the length of the colored side, then choose:

a)



5 cm , 6 cm or 4 cm

b)



3 cm , 5 cm or 6 cm

c)



2 cm , 3 cm or 5 cm

d)



3 cm , 6 cm or 5 cm

e)



3 cm , 1 cm or 2 cm

f)



5 cm , 4 cm or 8 cm

Lessons 42-43: The perimeter of polygons

How can we calculate the perimeter?

First:


Measure the lengths of all sides of the triangle.

Second:

Add the lengths of the 3 sides


$$4 \text{ cm} + 4 \text{ cm} + 5 \text{ cm} = 13 \text{ cm}$$

The total length equals 13 cm which is the perimeter.



The perimeter:

is one linear measurement of the distance (the sum of all sides) around the shape.



I'm a polygon.

My perimeter =

$$2 + 1 + 1 + 2 + 1 + 1 + 2 + 4 = 14 \text{ cm}$$

5 cm



5 cm

I'm a polygon.

$$\text{My perimeter} = 5 + 3 + 5 + 3 = 16 \text{ cm}$$


NOT POLYGONS



These shapes are not polygons because they have curved lines and their sides can't be measured with a ruler.


Measure the length of each side, then find the perimeter of each polygon:

Example



Perimeter = $2 + 2 + 3 + 3 + 1 = 11$ cm

a)



Perimeter = = cm

b)



Perimeter = = cm

c)



Perimeter = = cm

Write the perimeter of the polygons above in order from the smallest to the greatest:

11 cm

Estimate the perimeter of the following polygons, then find the actual perimeter.

a)



The estimated perimeter
is about cm.
Actual perimeter = cm

b)




The estimated perimeter
is about cm.
Actual perimeter = cm

c)



The estimated perimeter
is about cm.
Actual perimeter = cm

d)



The estimated perimeter
is about cm.
Actual perimeter = cm

Match each polygon with its perimeter:

a)



• **24** cm

b)



• **12** cm

c)



• **16** cm

d)



• **19** cm


Lesson 44-46: Area and perimeter

Amir is a farmer, he needs to put a fence around his farm animals. How much fencing does he need to purchase?




Perimeter: It is the total number of the fencing that goes around the farm $(9\text{ m} + 9\text{ m}) + (3\text{ m} + 3\text{ m}) = 18\text{ m} + 6\text{ m} = 24\text{ meters}$

Area: It is the ground inside the farm made up of square meters (How much space will cows have to roam?)

$3\text{ m} \times 9\text{ m} = 27\text{ square meters}$ (number of )

Find the area and the perimeter of the following figures:


a)



Perimeter = cm

Area = square units


b)



Perimeter = cm

Area = square units


c)



Perimeter = cm

Area = square units


d)



Perimeter = cm

Area = square units


e)



Perimeter = cm

Area = square units


f)



Perimeter = cm

Area = square units

Find the perimeter and area of the place of each animal inside the zoo:



a)



Lion

b)



Monkey

Perimeter = cm
Area = square units.

Perimeter = cm
Area = square units.

c)



Panda

d)



Deer

Perimeter = cm
Area = square units

Perimeter = cm
Area = square units

Using different strategies to calculate area

Calculate the area using different strategies:

• **First:** Repeated addition:

4 rows of 6:

$$6 + 6 + 6 + 6 = 24 \text{ square units}$$

6 columns of 4:

$$4 + 4 + 4 + 4 + 4 + 4 = 24 \text{ square units}$$

• **Second:** Multiply:

$$6 \times 4 = 24 \text{ square units}$$

$$4 \times 6 = 24 \text{ square units}$$

• **Third:** Distributive strategy:

break down 6 into (3+3):

$$(4 \times 3) + (4 \times 3)$$

$$(12) + (12) = 24 \text{ square units}$$



How can we find the area of rectangles without squares inside them?



We should use the dimensions

Length × Width

$$\text{Area} = 5 \text{ cm} \times 3 \text{ cm} = 15 \text{ cm}^2 \text{ square units}$$



Area = length x width

$$= 4 \text{ m} \times 2 \text{ m} = 8 \text{ m}^2$$


(meter square)

We can represent the area by 2 units:


centimeter square (cm^2)

meter square (m^2)

Calculate the area of each rectangle:




Area = square units



Area = cm^2

a) Color the rectangle with the greater area in red.



Area = square units



Area = square units

b) Color the rectangle with the smaller area in green.

Use your ruler to find the area:

a)



Area = cm^2

b)



Area = cm^2

Divide the square units to represent the area of each animal:

a) rabbit



14
square
meters

b) cow



30
square
meters

c) duck



16
square
meters

d) sheep




18
square
meters

e) hen



20
square
meters

Example




Decorate and color each room in the house after calculating the area:

Kitchen < 25
square meters

Bedroom > 39
square meters

Bathroom < 20
square meters


Living room > 35
square meters



Lessons 47-49: Rectangle

Rectangles with the same area

Do the rectangles that have the same area must have also the same perimeters?



$$\text{Area} = 3 \times 4 = 12 \text{ square units}$$

$$\text{Perimeter} = 3 + 4 + 3 + 4 = 14 \text{ cm}$$




$$\text{Area} = 6 \times 2 = 12 \text{ square units}$$

$$\text{Perimeter} = 6 + 2 + 6 + 2 = 16 \text{ cm}$$



$$\text{Area} = 2 \times 8 = 16 \text{ square units}$$

$$\text{Perimeter} = 2 + 8 + 2 + 8 = 20 \text{ cm}$$




$$\text{Area} = 4 \times 4 = 16 \text{ square units}$$

$$\text{Perimeter} = 4 + 4 + 4 + 4 = 16 \text{ cm}$$

We notice that the two rectangles can have the same areas but different perimeters.


Tick (✓) the rectangles with the same perimeters:

a)




perimeter = cm

b)




perimeter = cm

c)



perimeter = cm


d)



perimeter = cm


Color the rectangles which have the same area:

a)



The area = cm^2

b)



The area = cm^2

c)



The area = cm^2

d)




The area = cm^2

Draw at least 3 different rectangles with an area of 18 square units, then record your dimensions in the table below:

Rectangle (A)

18

1



Dimensions	Rectangle A	Rectangle B	Rectangle C	Rectangle D
Width (linear units)	1 cm			
Length (linear units)	18 cm			
Perimeter (linear units)	$1+18+1+18 = 38$ cm			
Area (square units)	$1 \times 18 = 18$ square units			

Rectangles with the same perimeter

Do the rectangles that have the same perimeters must have also the same areas?

Length = 5 cm

Width = 2 cm

Perimeter = $5 + 5 + 2 + 2 = 14$ cm

Area = $5 \times 2 = 10$ cm²




Length = 6 cm

Width = 1 cm

Perimeter = $6 + 6 + 1 + 1 = 14$ cm

Area = $6 \times 1 = 6$ cm²



Length = 4 cm

Width = 3 cm

Perimeter = $4 + 4 + 3 + 3 = 14$ cm

Area = $4 \times 3 = 12$ cm²



To draw two rectangles with the same perimeter,
the total sum of sides of the first rectangle = the total sum of sides of the second rectangle



We notice that the two rectangles can have the same perimeter but different areas.

Calculate the perimeter of each figure, then compare between their perimeters:

a)




Figure (A)

Perimeter = cm.

Area = cm².

b)



Figure (B)

Perimeter = cm.

Area = cm².

c) Compare the two rectangles:

- Which one has the largest perimeter?
- Which one has the smallest perimeter?

d)



Figure (A)

Perimeter = cm.

Area = cm².

e)



Figure (B)

Perimeter = cm.


Area = cm².

f) Which one has the biggest perimeter?

g) Which one has the smallest perimeter?

Find the missing side length and the perimeter of the following polygons using the ruler:

a)




The missing length is cm.
Perimeter = cm.

b)




The missing length is cm.
Perimeter = cm.

c)



The missing length is cm.
Perimeter = cm.

d)



The missing length is cm.
Perimeter = cm.

Area and perimeter story problems

Nadia has just bought a new dog. She needs to build a fence around her rectangular backyard. If the fence has a length of 8 m and a width of 6 m, how many meters of fencing does Nadia need to buy?

To know how much wood she needs, we have to calculate the perimeter.

$$\begin{aligned}\text{Perimeter} &= (6 + 8) + (6 + 8) \\ &= 28 \text{ meters of fence}\end{aligned}$$



Sherif wants to tile the kitchen floor. If the floor is 3 meters long and 4 meters wide, how many tiles will he need to cover the kitchen floor?

To know how many tiles, we have to calculate the area.

$$\text{Area} = 3 \times 4 = 12 \text{ tiles}$$



Answer the following problems:

- a) **Mariam** is sewing a border on a square baby blanket. The length of the blanket is 60 centimeters and the width is 15 centimeters. How long will the border be?

Perimeter =



- b) **Tamer** wants new carpeting for his bedroom. His room is a 9 meters by 7 meters rectangle. How much carpeting does he need to buy to cover his entire bedroom floor?



Area =

Use the given pictures to form your story problem to represent the given equations:

Planting the garden

.....

.....

.....

.....

5 rows

4 columns



a) $5 \times 4 = 20$ square units

Decorating the room

.....

.....

.....

.....

b) $3 + 5 + 3 + 5 = 16$ meters



Lesson 50: Multiplying by 10

We can solve problems that have multiples of 10 using 2 strategies.

First strategy:

Break apart strategy:

To solve 2×30

Think of it as $2 \times 3 = 6$, then add the zero

So, $2 \times 30 = 60$

and $2 \times 300 = 600$

$$2 \times 3 = 6$$

$$12 \times 1 = 12$$

$$2 \times 30 = 60$$

$$12 \times 10 = 120$$

$$2 \times 300 = 600$$


$$12 \times 100 = 1200$$

Second strategy:

Using a quick drawing of a base ten blocks:

For the equation $2 \times 30 = 60$

you can draw 2 groups of 3 tens each.



For the equation $4 \times 30 = 120$

you can draw 4 groups of 3 tens each.



We will use one straight line to represent the tens rod. So, we will just draw one straight line to help us with drawing the problems of multiples of 10.



Complete the following equations:

- a) $3 \times 90 = \dots\dots$ and $3 \times 900 = \dots\dots$ b) $7 \times 30 = \dots\dots$ and $7 \times 300 = \dots\dots$
c) $5 \times 40 = \dots\dots$ and $5 \times 400 = \dots\dots$ d) $8 \times 20 = \dots\dots$ and $8 \times 200 = \dots\dots$
e) $15 \times 10 = \dots\dots$ and $15 \times 100 = \dots\dots$ f) $11 \times 10 = \dots\dots$ and $11 \times 100 = \dots\dots$

Draw base ten blocks to represent the groups of 10's:

a) 4×70

b) 2×40

c) 3×30

d) 5×20

Answer the following questions by using base ten blocks strategy:

- a) Ali bought 4 different toys, each one costs L.E 30, how much did he pay?

- b) A building consists of 20 floors, each floor has 5 flats. What is the total number of flats in the whole building?

Find the product:

$3 \times 40 = \dots\dots\dots$

$2 \times 40 = \dots\dots\dots$

$7 \times 50 = \dots\dots\dots$

$3 \times 100 = \dots\dots\dots$

$6 \times 80 = \dots\dots\dots$

$7 \times 30 = \dots\dots\dots$

$9 \times 60 = \dots\dots\dots$

$8 \times 40 = \dots\dots\dots$

$6 \times 20 = \dots\dots\dots$

$3 \times 50 = \dots\dots\dots$

Lesson 51: Patterns of multiplying by 10

Can you notice the pattern of multiplying by 10's?



$$\begin{array}{l} 3 \times 5 = 15 \\ 3 \times 50 = 150 \\ 3 \times 500 = 1500 \end{array}$$

$$\begin{array}{l} 5 \times 4 = 20 \\ 5 \times 40 = 200 \\ 5 \times 400 = 2000 \end{array}$$

It is an easy pattern, but what if we start the pattern from 40×5 .
We can use 2 strategies:

First: Break apart strategy

$$40 \times 3$$

$$(4 \times 3) \times 10$$

$$12 \times 10 = 120$$

First : Start with $(12 \times 1) = 12$

Second : put the **zero** to the right of the product **120**

$$40 \times 3 = 120$$

Second: Using drawing line strategy



$$5 \text{ groups of } 40 = 200$$

Note that:

- We need to put these marks () which are called parentheses to tell us which part of the problem to solve first.
- We can multiply the numbers in any order

$$50 \times 3 \text{ or } 3 \times 50$$



Solve the following problems:

Example

$$20 \times 4 =$$

$$(2 \times 4) \times 10 = 80$$

$$\text{a) } 3 \times 60 =$$

$$(\dots \times \dots) \times 10 = \dots$$

$$\text{b) } 50 \times 2 =$$

$$(\dots \times \dots) \times 10 = \dots$$

$$\text{c) } 6 \times 20 =$$

$$(\dots \times \dots) \times 10 = \dots$$

$$\text{d) } 9 \times 30 =$$

$$(\dots \times \dots) \times \dots = \dots$$

$$\text{e) } 60 \times 6 =$$

$$(\dots \times \dots) \times \dots = \dots$$

$$\text{f) } 10 \times 20 =$$

$$(\dots \times \dots) \times \dots = \dots$$

$$\text{g) } 4 \times 30 =$$

$$(\dots \times \dots) \times \dots = \dots$$

Read and solve:

- a)** Amar plays 12 levels of his computer game and scores 10 points at each level.
How many points does Amar score?



- b)** Mai bought a box containing 4 jars of marbles, each jar has 50 marbles.
How many marbles altogether in the box?



- c)** Laila has 30 crayons and her sister Login has 10 crayons.
How many crayons do they both have?



Solve the following problems:

a) $30 \times 7 =$

c) $50 \times 3 =$

e) $10 \times 9 =$

g) $90 \times 6 =$

i) $80 \times 1 =$

k) $20 \times 5 =$

m) $40 \times 2 =$

o) $30 \times 4 =$

b) $2 \times 50 =$

d) $9 \times 30 =$

f) $5 \times 40 =$

h) $3 \times 80 =$

j) $7 \times 50 =$

l) $2 \times 10 =$

n) $4 \times 20 =$

p) $5 \times 90 =$

q) $8 \times 60 =$

Lesson 52: Multiplying by 9

First Finger trick strategy

First:

- Hold your fingers up.
- Start from left and bend (put down) the 7th finger.

To solve 9×7



Second:

Read the product:

before **after**
6 fingers in tens finger 3 fingers in ones
↓ ↓
60 3

There are 6 fingers before  finger, we count them as 60

There are 3 fingers after  finger, we count them as 3

So $9 \times 7 = 63$

Timetable of 9 (from 1 - 5)



Before After
0 tens 9 ones
 $9 \times 1 = 09$



Before After
1 tens 8 ones
 $9 \times 2 = 18$



Before After
2 tens 7 ones
 $9 \times 3 = 27$



Before After
3 tens 6 ones
 $9 \times 4 = 36$



Before After
4 tens 5 ones
 $9 \times 5 = 45$

Timetable of 9 (from 6 - 10)



Before After
5 tens 4 ones
 $9 \times 6 = 54$



Before After
6 tens 3 ones
 $9 \times 7 = 63$



Before After
7 tens 2 ones
 $9 \times 8 = 72$



Before After
8 tens 1 ones
 $9 \times 9 = 81$



Before After
9 tens 0 ones
 $9 \times 10 = 90$

Solve the following problems by recording the number on each finger:



$$9 \times 3 = \dots\dots\dots$$



$$9 \times 1 = \dots\dots\dots$$



$$9 \times 4 = \dots\dots\dots$$



$$9 \times 5 = \dots\dots\dots$$



$$9 \times 2 = \dots\dots\dots$$

Solve the following problems by recording the number on each finger:



$$9 \times 10 = \dots\dots\dots$$



$$9 \times 7 = \dots\dots\dots$$



$$9 \times 8 = \dots\dots\dots$$



$$9 \times 9 = \dots\dots\dots$$



$$9 \times 6 = \dots\dots\dots$$

Second List of equation strategy

This strategy depends on determining the **2 patterns** by looking at the first 10 products when multiplying by **9**.

$$\begin{array}{rcl}
 9 \times 1 & = & 09 \\
 9 \times 2 & = & 18 \\
 9 \times 3 & = & 27 \\
 9 \times 4 & = & 36 \\
 9 \times 5 & = & 45 \\
 9 \times 6 & = & 54 \\
 9 \times 7 & = & 63 \\
 9 \times 8 & = & 72 \\
 9 \times 9 & = & 81 \\
 9 \times 10 & = & 90
 \end{array}$$

First, write the numbers
0 - 9 in downward ↓ direction.

Next, write the numbers
0 - 9 in upward ↑ direction.



Fact check

We notice that
the sum of tens
and ones digit in
each product is 9

$$\begin{array}{rcl}
 9 \times 1 & = & 09 \longrightarrow 9 = 9 + 0 \\
 9 \times 2 & = & 18 \longrightarrow 9 = 8 + 1 \\
 9 \times 3 & = & 27 \longrightarrow 9 = 7 + 2 \\
 9 \times 4 & = & 36 \longrightarrow 9 = 6 + 3 \\
 9 \times 5 & = & 45 \longrightarrow 9 = 5 + 4 \\
 9 \times 6 & = & 54 \longrightarrow 9 = 4 + 5 \\
 9 \times 7 & = & 63 \longrightarrow 9 = 3 + 6 \\
 9 \times 8 & = & 72 \longrightarrow 9 = 2 + 7 \\
 9 \times 9 & = & 81 \longrightarrow 9 = 1 + 8 \\
 9 \times 10 & = & 90 \longrightarrow 9 = 0 + 9
 \end{array}$$

Third

Tens facts strategy

To solve 9×5

First:

We will think of 9 as 10
 $10 \times 5 = 50$

Second:

Represent it as 10 groups of 5

5 5 5 5 5 5 5 5 5 5

Third

Subtract one of the 5's to get 45

$$\begin{array}{r} 4 \quad 10 \\ 5 \quad 0 \\ - \quad 5 \\ \hline 45 \end{array}$$

Fourth

120-chart strategy

After we colored all the multiples of 9, we will notice a pattern.

120-chart

This pattern which goes across the 120-chart helps us to remember the products of multiplying by 9.



1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70
71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99	100
101	102	103	104	105	106	107	108	109	110
111	112	113	114	115	116	117	118	119	120

Use the tens facts strategy to solve the following problems:

Example

9×9 become $10 \times 9 = 90$



8	10
-	9
81	

So $9 \times 9 = 81$

a)

9×7 become \times =



So $9 \times 7 = \dots\dots\dots$

.....
-
.....

b)

9×3 become \times =



So $9 \times 3 = \dots\dots\dots$

.....
-
.....

c)

9×8 become \times =



So $9 \times 8 = \dots\dots\dots$

.....
-
.....

Lesson 53: Addition and multiplication strategies

X 0

Zero is a hero

Any number multiplied by **0** the product is **0**.

$$6 \times 0 = 0$$

$$19 \times 0 = 0$$

X 1

one is a mirror
Any number multiplied by **1**, the product is **the same number**.

$$1 \times 3 = 3$$

$$\text{one} \times 72 = 72$$

X 5

Multiples of ten exist in the multiples of 5.

Multiples of 5	Multiples of 10
5	10
10	20

We can use different strategies that will help us to solve more complicated problems in multiplication.

X 2

means double any number.

$$3 \times 2$$

$$3 + 3 = 6$$

$$5 \times 2$$

$$5 + 5 = 10$$

X 10

Any number multiplied by **10**, the product is **the same** with **0**.

$$7 \times 10 = 70$$

$$99 \times 10 = 990$$

X 4

means double or twice of the multiples of 2.

Multiples of 2	Multiples of 4
2	4
4	8

Addition strategies

Double in addition

$$8 + 9$$
$$(8 + 8) + 1$$

+0

Any number
Added to 0 the sum gives
the same number.

$$6 + 0 = 6$$
$$18 + 0 = 18$$
$$317 + 0 = 317$$

+10

Any number
added to 10 gives
add 1 at the ten spleen

$$10 + 8 = 18$$
$$10 + 3 = 13$$
$$10 + 0 = 10$$

We can use
different strategies
that will help us to
solve more complicated
problems
in addition

Making ten

$$9 + 3$$
$$(9 + 1) + 2$$
$$10 + 2 = 12$$

Commutative property addition and multiplication

Commutative in addition


$$3 + 2 = 2 + 3$$
$$18 + 9 = 9 + 18$$

Commutative in multiplication

$$5 \times 8 = 8 \times 5$$
$$17 \times 2 = 2 \times 17$$


Solve the problems, then write the strategy you used:

a)



The strategy is :

b)



The strategy is :

c)



The strategy is :

d)



The strategy is :

e)



The strategy is :

f)




The strategy is :

g)



The strategy is :

h)



The strategy is :

Solve the multiplication problems, then record the strategy you used:

a)



$$\begin{array}{r} 10 \\ \times 8 \\ \hline \end{array}$$

The strategy is:

.....

b)



$$\begin{array}{l} 2 \times 4 = \dots\dots \\ 4 \times 2 = \dots\dots \end{array}$$

The strategy is:

.....

c)



$$\begin{array}{l} 4 \times 5 = \dots\dots \\ 10 \times 2 = \dots\dots \end{array}$$

The strategy is:

.....

d)



$$\begin{array}{r} 6 \\ \times 0 \\ \hline \end{array}$$

The strategy is:

.....

e)



$$\begin{array}{r} 7 \\ \times 1 \\ \hline \end{array}$$

The strategy is:

.....

f)



$$\begin{array}{l} 2 \times 3 = \dots\dots \\ 4 \times 3 = \dots\dots \end{array}$$

The strategy is:

.....

g)



$$\begin{array}{r} 5 \\ \times 2 \\ \hline \end{array}$$

The strategy is:

.....

h)



$$\begin{array}{l} 33 \times 0 = \dots\dots \\ 66 \times 0 = \dots\dots \end{array}$$

The strategy is:

.....

Find the result using one of the previous strategies:

$6 + 6 = \dots\dots\dots$

$2 \times 5 = \dots\dots\dots$

$4 \times 2 = \dots\dots\dots$

$2 \times 4 = \dots\dots\dots$

$0 \times 8 = \dots\dots\dots$

$10 + 4 = \dots\dots\dots$

$6 \times 4 = \dots\dots\dots$

$8 + 9 = \dots\dots\dots$

$6 \times 7 = \dots\dots\dots$

$3 \times 3 = \dots\dots\dots$

$5 + 8 = \dots\dots\dots$

$4 + 4 = \dots\dots\dots$

$1 \times 1 = \dots\dots\dots$

$2 \times 9 = \dots\dots\dots$

$5 \times 10 = \dots\dots\dots$

$2 \times 4 = \dots\dots\dots$

$0 + 4 = \dots\dots\dots$

$9 \times 6 = \dots\dots\dots$

$1 + 9 = \dots\dots\dots$

$2 + 6 = \dots\dots\dots$

$5 + 10 = \dots\dots\dots$

 $1 \times 7 = \dots\dots\dots$

$0 \times 4 = \dots\dots\dots$

$6 \times 1 = \dots\dots\dots$

$3 + 9 = \dots\dots\dots$

$7 + 3 = \dots\dots\dots$

$4 \times 8 = \dots\dots\dots$

$2 \times 7 = \dots\dots\dots$

$3 + 10 = \dots\dots\dots$

$3 + 9 = \dots\dots\dots$

$3 \times 9 = \dots\dots\dots$

$6 \times 0 = \dots\dots\dots$

$10 \times 8 = \dots\dots\dots$

$8 \times 10 = \dots\dots\dots$

$9 \times 6 = \dots\dots\dots$

$6 + 5 = \dots\dots\dots$

$9 + 9 = \dots\dots\dots$

$0 + 10 = \dots\dots\dots$

$9 \times 9 = \dots\dots\dots$

$10 + 1 = \dots\dots\dots$

$6 + 5 = \dots\dots\dots$

$2 \times 3 = \dots\dots\dots$

$3 \times 9 = \dots\dots\dots$

$2 \times 3 = \dots\dots\dots$

$4 \times 3 = \dots\dots\dots$

$9 \times 10 = \dots\dots\dots$

$1 \times 2 = \dots\dots\dots$

$9 + 6 = \dots\dots\dots$

$9 \times 0 = \dots\dots\dots$

$1 + 8 = \dots\dots\dots$

$2 + 6 = \dots\dots\dots$

Lesson 54:

Reading hundred thousand

We have different ways to show the number:

Thousands family		
Hundred Thousands	Ten Thousands	Thousands
4	8	3

,

Hundreds	Tens	Ones
2	1	9

First Standard form

483 , 219





Read the numbers in digits

Second Word form

Four hundred eighty three thousand, two hundred and nineteen.

Write the number in letters.

Third Base ten form

Thousands	Hundreds	Tens	Ones
 3	 2	 1	 9

Fourth Expanded form

$400,000 + 80,000 + 3000 + 200 + 10 + 9$

Write each digit with its value.

The place value system is based on 10's.
Each place is 10 times greater than the one before.



Read, then complete:

Example

Ali has cards of 18 thousands, 3 hundreds, 4 tens and 9 ones.
What is the number?

18 thousands = 18000

3 hundreds = 300

4 tens = 40

9 ones = 9

Standard form: 18,349

Thousands family					
H.Th.	T. Th.	Th.	H	T	O
1	8	3	4	9	

a) Nora has cards of 9 thousands, 4 hundreds and 3 ones.
What is the number?

9 thousands =

4 hundreds =

3 ones =

Standard form: ,

Thousands family					
H.Th.	T. Th.	Th.	H	T	O

b) Sara has cards of 123 thousands, 7 tens and 8 ones.
What is the number?

123 thousands =

7 tens =

8 ones =

Standard form: ,

Thousands family					
H.Th.	T. Th.	Th.	H	T	O

Write the following numbers in their expanded form:

Example

$$981,725 = 900,000 + 80,000 + 1000 + 700 + 20 + 5$$

The place value of the digit **8** is: **ten thousand**

a) $63,411 = 60,000 + 3000 + 400 + \dots + 1$

The value of the digit **4** is:

b) $203,590 = \dots + 0 + \dots + 500 + 90 + \dots$

The place value of the digit **2** is:

c) $813,200 = \dots + 10,000 + \dots + \dots + \dots + \dots$

The value of the digit **8** is:

d) $700,018 = \dots + 0 + \dots + 0 + \dots + \dots$

The place value of the digit **1** is:

Tick ✓ at the correct number:

Example

$$30,000 + 2000 + 50 + 6$$

☒ 32, 056 ☐ 302, 506

a)

$$900,000 + 7000 + 200 + 60 + 3$$

☐ 907, 236 ☐ 907, 263

b)

$$50,000 + 4000 + 300 + 60$$

☐ 54, 306 ☐ 54, 360

c)

$$318000 + 500 + 8$$

☐ 318, 058 ☐ 318, 508

d)

$$124000 + 700 + 20 + 1$$

☐ 124, 721 ☐ 127, 271

e)

$$400,000 + 8000 + 90 + 6$$

☐ 408, 096 ☐ 480, 096

f)

16 thousand, 5 hundred, 8 tens

☐ 16, 508 ☐ 16, 580

g)

906 thousand , 2 hundred

☐ 906, 200 ☐ 960, 020

Choose the suitable sign (< , > , or =):

a)

713,560 713,500

< , > or =

b)

8 th. 5 h. 3 tens 18 th. 5 h. 3 tens

< , > or =

c)

900,000 9 hundred thousand

< , > or =

d)

100 th, 5 tens 100,500

< , > or =

e)

6 thousand 600,000

< , > or =

f)

3,426 34,206

< , > or =

Order the following numbers from the smallest to the greatest:

a)

40386 , 4386 , 3426 and 400 386

The order

..... , and

b)

16 thousand , 18 hundred , 8 thousand and 160 thousand

The order

..... , and



Lesson 55: Addition using different strategies

We can add $56 + 53$ using 3 strategies.

First strategy

Place value drawing

$$\begin{array}{r} 56 \\ + 53 \\ \hline 109 \end{array}$$



Second strategy


Decomposing

$$\begin{array}{r} 56 \\ + 53 \\ \hline 109 \end{array} \quad \begin{array}{l} \longrightarrow 50 + 6 \\ \longrightarrow 50 + 3 \\ \hline 100 + 9 \end{array}$$

the number into tens and ones

Third strategy

Number Line



We start to hop by adding 50 moving to the right
 $56 + 50 = 106$


Then we hop adding 3
 $106 + 3 = 109$

We start with the **bigger number**, then decompose the smaller number into tens and ones.

We can add **289 + 134**
using 4 strategies

First strategy:


Place value drawing strategy



$$\begin{array}{r} 289 \\ + 134 \\ \hline \end{array}$$

423

We regroup
10 tens as 1 hundred



We regroup
10 ones as 1 ten



Second strategy:

Standard model operation

- 1- We add the ones digit
 $9 + 4 = 13$
Write down 3, then carry up **1**.
- 2- We add the tens digit
 $8 + 3 + 1 = 12$
Write down 2, then carry up **1**.
- 3- Add the hundreds digit
 $2 + 1 + 1 = 4$

H	T	O
1 2	1 8	9
1	3	4
<hr/>		
4	2	3

Third strategy:

Decomposing strategy

$$\begin{array}{r} 289 = 200 + 80 + 9 \\ + \\ 134 = 100 + 30 + 4 \\ \hline 423 = 300 + 110 + 13 \end{array}$$

$$\begin{array}{r} 3 \quad 0 \quad 0 \\ + \quad 1 \quad 1 \quad 0 \\ \hline \quad \quad 1 \quad 3 \\ 4 \quad 2 \quad 3 \end{array}$$

Fourth strategy:

Open number line

To add on an open number line

1- Start with the bigger addend **289**

2- We start to hop moving to the right

$$289 + 100 = 389$$

3- We hop 3 hops that represent 30

$$389 + 30 = 419$$

4- We hop 2 hops that represent 4

$$419 + 4 = 423$$



$$\begin{array}{r} 289 + 134 \\ \hline \end{array}$$

100 30 4



Solve by using decomposing and number line strategy:

Example

$$97 + 133$$

Decomposing


$$133 = 100 + 30 + 3$$

+

$$97 = 0 + 90 + 7$$

$$100 + 120 + 10 = 230$$

Number line $133 + 97$



a)

$$215 + 106$$

Decomposing


$$215 = \dots + \dots + \dots$$

+

$$106 = \dots + \dots + \dots$$

$$\dots + \dots + \dots = \dots$$

Number line $215 + 106$



b)

$$723 + 145$$

Decomposing




Number line

Solve by the place value drawing and number line strategy:


Example

$$217 + 24$$

Place value drawing

Hundreds	Tens	Ones
		
2	4	1

Number line



a)

$$630 + 168$$

Place value drawing

Number line

b)

$$218 + 91$$

Place value drawing

Number line

Lesson 56: Data table

We use the recorded data to answer the following questions.

Data table

Subject	Number of boys	Number of girls
Math	323	476
Arabic	246	388



Estimate the total number of boys and girls which like Arabic, then check if the estimation is close or not to actual result.

There are 2 types of estimation:

First : Rounding estimation

we circle the tens place

Boys 246 rounded down to 200

Because the number in the tens place is less than 5

Girls 388 rounded up to 400

Because the number in the tens place is more than 5

Estimated sum is

$$200 + 400 = 600$$

Second : Front-end estimation

We circle the highest value


Boys 246 we think about it as 200

Girls 388 we think about it as 300

Estimated sum is

$$200 + 300 = 500$$

The actual sum:



We find that Rounding estimation strategy is more close to the actual result.

Use the data table to answer the following questions:

Type	Ziad	Hana
Chocolate	580	634
Caramel	718	389



a) How many chocolate cookies did Ziad and Hana sell together?

.....

.....

.....

b) Estimate the sum of the caramel cookies Hana and Ziad both sold, then find the closest estimation to the actual result.

Front-end estimation

Ziad 718 about

Hana 389 about

..... + about

The actual result is + =

The estimation is close to the actual result.

Rounding estimation

(Ziad) 718 rounded

(Hana) 389 rounded

..... + about

c) Aya says that Ziad sold more cookies than Hana, compare between the total number of cookies sold by Ziad and the total number of cookies sold by Hana to agree or disagree with Aya's opinion?

.....

.....

.....


Use the data table that shows the weights of some animals in kg to answer the following questions:

Name	Weight in (kg)
 Cheetah	180
 Lion	230
 Tiger	227

- a) What is the weight of cheetah and lion together?
Use decomposing strategy.
- b) What is the weight of both tiger and lion?
Use place value picture.
- c) Order the animals' weights from the lightest animal to the heaviest animal

Lesson 57: The relation between addition and subtraction

Fact family house







Addition and subtraction are inverse operations (opposite to each other).





To subtract 4143 - 2712 Using different strategies

First Using place value picture:

$$4143 - 2712 = 1431$$


(2000+700+10+2)

Thousands	Hundreds	Tens	Ones
			

Thousands	Hundreds	Tens	Ones
			
1	4	3	1

- 1- Start with the ones & subtract 2 ones from 3 ($3 - 2 = 1$)
- 2- Then subtract 10 tens from 40 ($40 - 10 = 30$)
- 3- We can't subtract 7 hundreds from 1 hundred, so we need to regroup.
- 4- Subtract 2 thousand from 3 thousand
($3000 - 2000 = 1000$)

1 thousand into 10 hundreds.



We can check our answer by addition problem.

$$\begin{array}{rcl}
 1431 & \longrightarrow & 1000 + 400 + 30 + 1 \\
 + & & \\
 2712 & \longrightarrow & 2000 + 700 + 10 + 2 \\
 \hline
 4143 & = & 3000 + 1100 + 40 + 3
 \end{array}$$

Second Standard model operation:

- 1- Subtract **ones place** ($3 - 2 = 1$)
- 2- Subtract **tens place** ($4 - 1 = 3$)
- 3- We can't take away 7 from 1
so we will **borrow 1** from thousands
and add it to 1 to become 11 ($11 - 7 = 4$)
- 4- Subtract **thousand place** ($3 - 2 = 1$)

Thousands	Hundreds	Tens	Ones
3 2	11 7	4 1	3 2
1	4	3	1

Third Open number line strategy:

$$\begin{array}{r} 3479 - 1365 \\ \hline \end{array}$$

minuend 1000 300 60 5

- ④

Hop 1 time to subtract 5
 $2119 - 5 = 2114$

③

Hop 1 time to subtract 60
 $2179 - 60 = 2119$

②

Then hop 1 time to subtract 300
 $2479 - 300 = 2179$

①

Start with the **minuend**
hop to the **left** 1 time to subtract **1000**
 $3479 - 1000 = 2479$



$$3479 - 1365 = 2114$$

We can check the answer by addition problem

$$\begin{array}{rcl} 2114 & \longrightarrow & 2000 + 100 + 10 + 4 \\ + 1365 & \longrightarrow & 1000 + 300 + 60 + 5 \\ \hline 3479 & = & 3000 + 400 + 70 + 9 \end{array}$$

Subtract problem by using number line strategy, then
check your answer by adding:

Subtraction problem	Addition problem to check
a) $840 - 310$	
b) $500 - 270$	
c) $7660 - 1305$	

Lesson 58: Addition and subtraction story problems




Mr Hussien saved L.E 3675, he needs to buy a new mobile for L.E 2113 and a new watch for L.E 321,
How much money will be left with him?

First

Add to find the total amount of money he will pay using decomposing strategy



$$\begin{array}{r} 2113 \longrightarrow 2000 + 100 + 10 + 3 \\ + 321 \longrightarrow 0 + 300 + 20 + 1 \\ \hline 2434 \longrightarrow 2000 + 400 + 30 + 4 \end{array}$$



Total payment = 2113 + 321 = L.E 2434

Second

Subtract to find the money left after the total payment using place value picture.

Money saved

3675

Total payment

2434

Thousands	Hundred	Tens	Ones
1	2	4	1

Money left = 3675 - 2434 = 1241

Th H T O
1, 2 4 1

Read and solve:

- a) Mr. Mahmoud raises chickens. In the last two years, his chickens have laid 5,350 eggs. At the first year his chickens laid 2,120 eggs. **How many eggs did his chickens lay in the second year? Would you use addition or subtraction?**



- b) Ahmed's family is saving to buy a new laptop. The laptop costs L.E. 3290 on sale. They have saved L.E. 2010 so far. **How much more money do they need before they can buy a laptop?**





- c) Omar just moved to the city. He found an apartment to rent for L.E. 3340 per month. Electricity and gas will cost him L.E. 692 per month.

How much money will it cost him each month to live?

- d) If Omar had L.E. 5000 to spend each month, how much money will be left with him after what he pays for rent, electricity and gas?

Lesson 59: The volume of liquids

To measure the liquids, we need to know:

First

Liquids: are substances that can take the shape of their containers.

Second

The volume: is the measurement of how much the container holds.



volume
is about
500 mL

Third

The measuring units:

First unit: **Milliliter** is used to measure small amount of liquid as dropper.



2 liters



60 ml

Second unit: **Liter** is used to measure large amount of liquid as bottle of water.



Each cup holds 100 mL

All cups hold = $10 \times 100 = 1000 \text{ mL} = 1 \text{ liter}$
1 liter contains 1000 millilitres.

Liter (L)
can be broken into a small
unit called milliliter (ml).

Write the suitable unit to measure the liquid volume:

Example



liter

a)



b)



c)



d)



e)



f)



g)



Read the following measurements:

Example



Volume = 900 mL

a)



Volume = mL

b)



Volume = mL

c)




Volume = mL

d)



Volume = mL

e)



Volume = mL

Circle the suitable unit:

a)



The oil in the bottle measured by (mL or L)

b)



The medicine in the injection (mL or L)

c)



The perfume in the bottle measured by (mL or L)

d)



The shampoo in the bottle measured by (mL or L)

e)



The water which holds the container is measured by (mL or L)

Arrange the capacity ascendngly:



Lesson 60: The graduated cylinder to measure liquids

The graduated cylinder:

- It is a tool to measure the liquids' volume.
- It is graduated from 0 to 100.
- It holds 100 mL.
- The graduated cylinder is used to measure the capacity of liquids inside it.
- The numbers listed are skip counted by 10's.



Read the following measurements:

Example



Volume = **50** mL

a)



Volume = mL

b)



Volume = mL

c)



Volume = m

d)



Volume = mL

e)



Volume = mL

Order the following objects according to their volume from the least to the greatest:




The order is: ; ; ;

Read the amount of the liquid the graduated cylinder holds:

a)




b)



c)




d)



Color to reach the required volume:


Key :  = 10 mL

Example



Volume : ...30... mL

a)




Volume : mL

b)





Volume : mL

c)




Volume : mL

d)



Volume : L
Volume : mL

e)



Volume : mL

The capacity:

it is the total amount of the liquid the container can hold to become full.



Volume = 200 mL



Capacity = 1L

Estimate the volume needed to fill each jar to reach its capacity:

a)



Volume = mL
capacity ismL

b)



Volume = L
capacity isL

c)



Volume = mL
capacity is mL

d)



Volume = mL
capacity isL